Oak Ridge Reservation Quality Assurance Report for Meteorological Towers For Towers A, B, C, K, L, M, W, Y

Kevin R. Birdwell Computational Science and Engineering Division Oak Ridge National Laboratory

February 2008

# **Tower ID Summary:**

| Name    | Alternate Names | <b>ORR</b> Site | Elevation (m) | Easting, Northing (m) | Measuring Hts |
|---------|-----------------|-----------------|---------------|-----------------------|---------------|
| Tower A | MT4,7571        | ORNL            | 263           | 743179,3978105        | 10,30         |
| Tower B | MT3, 6555,07    | ORNL            | 256           | 743398,3979683        | 10,30         |
| Tower C | MT2, 1057, 03   | ORNL            | 261           | 741423,3978768        | 10,30,100     |
| Tower K | MT1, 1208       | ETTP            | 253           | 735675,3979503        | 10,60         |
| Tower L | MT7, 1209       | ETTP            | 233           | 735110,3978654        | 10,30         |
| Tower M | 1208A, 208A     | ETTP            | 237           | 735720,3976860        | 10            |
| Tower W | MT6, Y12W, West | Y12             | 326           | 748890,3986700        | 10,60         |
| Tower Y | 2006Tower       | Y12             | 290           | 747926.3985859        | 2, 15, 33     |

Friday, February 1, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Saturday, February 2, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Sunday, February 3, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Monday, February 4, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Tuesday, February 5, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Wednesday, February 6, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes

0730-0900 Severe thunderstorms cross area (Area in Severe TStorm Warning and Tornado Watch)

Thursday, February 7, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range | % Data Recover<br>15-min 60-min | ed Sensors Affected | Comments                      |
|-----------|--------|------------|---------------------------------|---------------------|-------------------------------|
| Tower A   | OK     |            | 100.0 100.0                     |                     |                               |
| Tower B   | ERR    | 1600-1615  | 98.0 100.0                      | All                 | Missing data (power failure?) |
| Tower C   | OK     |            | 100.0 100.0                     |                     |                               |
| Tower K   | OK     |            | 100.0 100.0                     |                     |                               |
| Tower L   | OK     |            | 100.0 100.0                     |                     |                               |
| Tower M   | OK     |            | 100.0 100.0                     |                     |                               |
| Tower W   | ERR    | 1545       | 99.0 100.0                      | All                 | Missing data (unknown cause)  |
| Tower Y   | OK     |            | 100.0 100.0                     |                     |                               |

# NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Friday, February 8, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Saturday, February 9, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Sunday, February 10, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Monday, February 11, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range           | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments   |
|-----------|--------|----------------------|-----------------------------------|------------------|--|
| Tower A   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower B   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower C   | ERR    | 0318-0430, 1713-1714 | 95.0 92.0                         | All              | Missing data (data logger reported power failures) |
| Tower K   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower L   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower M   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower W   | OK     |                      | 100.0 100.0                       |                  |  |
| Tower Y   | OK     |                      | 100.0 100.0                       |                  |  |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Tuesday, February 12, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

#### NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes

Possible downsloping event 1100-1300 hrs (warming of about 20 deg F in 2 hrs)

Wednesday, February 13, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

#### NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes

Light sleet/rain around 7 am; light snow grains 0800-1200 hrs.

Thursday, February 14, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Friday, February 15, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Saturday, February 16, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Sunday, February 17, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments  |
|-----------|--------|------------|-----------------------------------|------------------|---|
| Tower A   | ERR    | 1400-1700  | 86.0 84.0                         | All              | Missing data (power failure?)                   |
| Tower B   | OK     |            | 100.0 100.0                       |                  |   |
| Tower C   | OK     |            | 100.0 100.0                       |                  |   |
| Tower K   | OK     |            | 100.0 100.0                       |                  |   |
| Tower L   | OK     |            | 100.0 100.0                       |                  |   |
| Tower M   | OK     |            | 100.0 100.0                       |                  |   |
| Tower W   | ERR    | 1415       | 99.0 100.0                        | All              | Missing 15-min data (Y12 network timing error?) |
| Tower Y   | ERR    | 1415       | 99.0 100.0                        | All              | Missing 15-min data (Y12 network timing error?) |

# NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes Light thundershowers around 1600-1700 hrs.

Monday, February 18, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Tuesday, February 18, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range |       | ı Recovered<br>60-min | Sensors Affected | Comments                                |
|-----------|--------|------------|-------|-----------------------|------------------|---|
| Tower A   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower B   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower C   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower K   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower L   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower M   | OK     |            | 100.0 | 100.0                 |                  |   |
| Tower W   | ERR    | 0400-1100  | 73.0  | 75.0                  | All              | Missing 15-min data (Y12 network error) |
| Tower Y   | ERR    | 0400-1100  | 73.0  | 75.0                  | All              | Missing 15-min data (Y12 network error) |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes Light snow showers between 1030-1200 hrss.

Wednesday, February 20, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Thursday, February 21, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Friday, February 22, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Saturday, February 23, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | ОК                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Sunday, February 24, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | ОК                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Monday, February 25, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments                                     |
|-----------|--------|------------|-----------------------------------|------------------|--|
| Tower A   | OK     |            | 100.0 100.0                       |                  |  |
| Tower B   | ERR    | 1600-1615  | 98.0 100.0                        | All              | Missing 15-min data (scheduled power outage) |
| Tower C   | OK     |            | 100.0 100.0                       |                  |  |
| Tower K   | OK     |            | 100.0 100.0                       |                  |  |
| Tower L   | OK     |            | 100.0 100.0                       |                  |  |
| Tower M   | OK     |            | 100.0 100.0                       |                  |  |
| Tower W   | OK     |            | 100.0 100.0                       |                  |  |
| Tower Y   | OK     |            | 100.0 100.0                       |                  |  |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Tuesday, February 26, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

#### NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Weather Notes 4 to 6 am – Thundershowers in area 11 am to 1 pm – Arctic cold front crossed area 5 pm to Midnight – Rainshowers / sleet / snowshowers (no accumulation)

Wednesday, February 27, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range | % Data | Recovered | Sensors Affected | Comments                                |
|-----------|--------|------------|--------|-----------|------------------|---|
|           |        |            | 15-min | 60-min    |                  |   |
| Tower A   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower B   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower C   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower K   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower L   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower M   | OK     |            | 100.0  | 100.0     |                  |   |
| Tower W   | ERR    | 1745       | 99.0   | 100.0     | All              | Missing 15-min data (Y12 network error) |
| Tower Y   | ERR    | 1745       | 99.0   | 100.0     | All              | Missing 15-min data (Y12 network error) |

# NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

#### Weather Notes

0.3 inches of snow fell around 7-8 am. Snow showers occurred all day until around 8 pm.

Thursday, February 28, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status | Time Range | % Data Recovered | Sensors Affected | Comments                                |
|-----------|--------|------------|------------------|------------------|---|
|           |        |            | 15-min 60-min    |                  |   |
| Tower A   | OK     |            | 100.0 100.0      |                  |   |
| Tower B   | OK     |            | 100.0 100.0      |                  |   |
| Tower C   | OK     |            | 100.0 100.0      |                  |   |
| Tower K   | OK     |            | 100.0 100.0      |                  |   |
| Tower L   | OK     |            | 100.0 100.0      |                  |   |
| Tower M   | OK     |            | 100.0 100.0      |                  |   |
| Tower W   | ERR    | 1500       | 99.0 100.0       | All              | Missing 15-min data (Y12 network error) |
| Tower Y   | ERR    | 1500       | 99.0 100.0       | All              | Missing 15-min data (Y12 network error) |

# NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

Special Notes Wind speed threshold is 0.5 mph on all sites unless otherwise noted.

Friday, February 29, 2008 Compiled by KR Birdwell, MS6418, CSM/CSED, ORNL, Phone 865.576.2308 Email <u>birdwellkr@ornl.gov</u>, Pager 865.873.7149

#### SITE STATUS (Instrumentation, 15-Minute Data Collection)

| Site Name | Status Time Range | % Data Recovered<br>15-min 60-min | Sensors Affected | Comments |
|-----------|-------------------|-----------------------------------|------------------|----------|
| Tower A   | OK                | 100.0 100.0                       |                  |          |
| Tower B   | OK                | 100.0 100.0                       |                  |          |
| Tower C   | OK                | 100.0 100.0                       |                  |          |
| Tower K   | OK                | 100.0 100.0                       |                  |          |
| Tower L   | OK                | 100.0 100.0                       |                  |          |
| Tower M   | OK                | 100.0 100.0                       |                  |          |
| Tower W   | OK                | 100.0 100.0                       |                  |          |
| Tower Y   | OK                | 100.0 100.0                       |                  |          |

## NETWORK INTERRUPTIONS

Affected Systems Time Range %Data Recovered Cause/Repair None

*Special Notes* Wind speed threshold is 0.5 mph on all sites unless otherwise noted.